

# Klikbeslag

A number of brackets are available for X-Guard. These allow simple and quick attachment of panels to posts.

The quick fittings has a top and a bottom attachment. The top fitting is a simple click-on fitting which can be fitted to the three sides of the post. The click-on function means simple and above all quick fitting. A fitter is only required to fit mesh panels to X-Guard machine guards.









The lower fitting acts as a guide to steer the panel into the correct position. The panel is simply clicked into place in the top bracket, when it is in place.

A quick fitting is also available for free positioning of the X-Guard post (K1-01).

# Modeller




## Quick fittings 6 artikler

### ARTIKLER / BESKRIVELSE

	<b>T00-01</b> Fittings for X-Guard, 1 pack
	<b>T00-02</b> Fittings for X-Guard, 1 pack, for 4 mm plastic panels
	<b>T00-03</b> Fittings for X-Guard, 1 pack, for 6 mm plastic panels
	<b>T00-04</b> Fittings for X-Guard, 1 pack, for horizontal panels
	<b>T00-05</b> Fittings for X-Guard, 1 pack, for horizontal panels different heights
	<b>T00-27</b> Quick fittings

## Quick fittings – valgfri placering 3 artikler

### ARTIKLER / BESKRIVELSE

	<b>K1-01</b> Kit for optional placing of quick fittings, 1 pack
	<b>K1-03</b> Kit for optional placing of quick fittings upper bracket X-Guard, 1 pack
	<b>K1-12</b> Quick fittings

## Relaterede produkter

---



### TILBEHØR

#### X-Key

X-Key is an unique tool for quick panel release. Forget about other tools. All you need is X-Key. X-Guard panels can only be removed with the X-Key which offers quick release and replacement.

[2 artikler](#)




### TILBEHØR

#### Andet tilbehør

Here you can find other accessories that make the X-Guard system even more functional and flexible.

[5 artikler](#)



### PANELER

#### Netpanel

X-Guard meshpaneler kommer i to størrelser af net; Premium 50x20 og Classic 50x30 mm. Sikkerhedsafstanden bestemmer størrelsen på det krævede net. Det klassiske 50x30 net kræver en minimumsafstand...

[75 artikler](#)